Author Index

Ahern, D.G., see Do, Un Hoi 359
Akira, K.
— and Baba, S.
Improved synchronized accumulating radioisotope detector for gas chromatography 255
Andries, S., see Selala, M.I. 51
Antoshechkin, A.G.
—, Golovkin, A.B., Maximova, L.A. and Bakharev, V.A.
Screening of amniotic fluid metabolites by gas chromatography–mass spectrometry 353
Arts, C.J.M.
— and Van den Berg, H.
Multi-residue screening of bovine urine on xenobiotic oestrogens with an oestrogen radioreceptor assay 225
Ayotte, C., see Massé, R. 23
Baba, S., see Akira, K. 255
Bakharev, V.A., see Antoshechkin, A.G. 353
Beer, J.O. De, see De Beer, J.O. 139
Belleville, F., see Wasels, R. 411
Berg, H. van den, see Arts, C.J.M. 225
Berg, R.H. van den, see Jansen, E.H.J.M. 57, 245
Berghmans, M.C.J., see Hoogenboom, L.A.P. 105
Biou, D., see Drechou, A. 273
Blitterswijk, H. van, see Van Ginkel, L.A. 95
Bories, G.
— and Suarez, A.F.
Profiling of free and conjugated [^{3}H]zeranol metabolites in pig plasma 191
Bosch, D. van den, see Jansen, E.H.J.M. 205
Both-Miedema, R., see Jansen, E.H.J.M. 57
Brinkman, U.A.Th., see Haasnoot, W. 157
Bush, D.A.
— and Winkler, M.A.
Isoelectric focusing of cross-linked monoclonal antibody heterodimers, homodimers and derivatized monoclonal antibodies 303
Buskens, C.A.F., see Jansen, E.H.J.M. 245
Cashaw, J.L., see Geraghty, C.A. 399
Chaumont, A.J., see Kintz, P. 459
Cheng, L.K., see Osman, M.A. 452
Chin, S.K.
—, Hui, A.C. and Giacomini, K.M.
High-performance liquid chromatographic determination of the enantiomers of β-adrenoceptor blocking agents in biological fluids. II. Studies with atenolol 438
Choo, H.-Y.P., see Park, J. 313
Cock, J. de, see Van Doorn, J.E. 419
Cooper, S.F.
—, Massé, R. and Dugal, R.
Comprehensive screening procedure for diuretics in urine by high-performance liquid chromatography 65
Coucke, V., see Selala, M.I. 51
De Beer, J.O.
On-line high-performance liquid chromatographic diode array spectrophotometric analysis of steroidal hormones in illegal preparations 139
De Cock, J., see Van Doorn, J.E. 419
De Felip, E.
—, Di Domenico, A. and Volpi, F.
Gas chromatographic–mass spectrometric method to assess residues of 2-methyl-4-chlorophenoxyacetic acid in human urine 404
Degand, G.
—, Schmitz, P. and Maghuin-Rogister, G.
Enzyme immunoassay screening procedure for the synthetic anabolic estrogens and androgens diethylstilbestrol, nortestosterone, methyltestosterone and trenbolone in bovine urine 235
De Guesquière, A., see Van Peteghem, C. 219
De Jong, A.P.J.M., see Van Ginkel, L.A. 111
De Ruig, W.G.
—, Stephany, R.W. and Dijkstra, G.
Quality criteria for the detection of analytes in test samples with special reference to anabolic agents and related compounds 89
Deschuytere, Ph., see Van Look, L. 213
Di Domenico, A., see De Felip, E. 404
Dijkstra, G., see De Ruig, W.G. 89
Do, Un Hoi
—, Ahern, D.G., Iles, J., Maniscalco, M. and Tutunjian, M.
Specific radioactivity determination of labeled eicosanoids 359
Domenico, A. Di, see De Felip, E. 404
Doorn, J.E. Van, see Van Doorn, J.E. 419
Drechou, A.
—, Perez-Gonzalez, N., Biou, D., Rouzeau, J.D., Feger, J. and Durand, G.
One-step purification of rat plasma α_1-acid glycoprotein by antibody affinity chroma-

tography: application to normal and inflamed rat sera 273
Dugal, R., see Cooper, S.F. 65
—, see Massé, R. 23
Dunning, L.K., see Osman, M.A. 452
Durand, G., see Drechou, A. 273
Ebihara, A., see Nakashima, H. 425
Farjam, A., see Haasnoot, W. 157
Feger, J., see Drechou, A. 273
Felip, E. De, see De Felip, E. 404
Fennessey, P.V., see Harrison, L.M. 121
Flesch, G.
— and Hauffe, S.A.
Determination of the bisphosphonate pamidronate disodium in urine by pre-column derivatization with fluorescamine, high-performance liquid chromatography and fluorescence detection 446
Frei, R.W., see Haasnoot, W. 157
Fujimoto, S., see Ishimitsu, S. 377
Fukuda, K., see Suzuki, Y. 283
Geraghty, C.A.
— and Cashaw, J.L.
Method for the identification of tetrahydropapaveroline using the Pictet–Spengler condensation reaction and high-performance liquid chromatography 399
Giacomini, K.M., see Chin, S.K. 438
Ginkel, L.A. van, see Van Ginkel, L.A. 95, 111
Görög, S., see Yoshitake, T. 364
Golovkin, A.B., see Antoshechkin, A.G. 353
Gotlin, R.W., see Harrison, L.M. 121
Guattari, B.
Simultaneous quantitative high-performance liquid chromatographic determination of cyclic adenosine 3′,5′-monophosphate and adenosine in mouse brain after microwave irradiation: application to isoprenaline effect in vivo 394
Guesquière, A. De, see Van Peteghem, C. 219
Guttendorf, R.J.
—, Kostenbauder, H.B. and Wedlund, P.J.
Quantification of propranolol enantiomers in small blood samples from rats by reversed-phase high-performance liquid chromatography after chiral derivatization 333
Haasnoot, W., see Schilt, R. 127
—, Schilt, R., Hamers, A.R.M., Huf, F.A., Farjam, A., Frei, R.W. and Brinkman, U.A.Th.
Determination of β-19-nortestosterone and its metabolite α-19-nortestosterone in biological samples at the sub parts per billion level by high-performance liquid chromatography with on-line immunoaffinity sample pretreatment 157
Hamers, A.R.M., see Haasnoot, W. 157
Hara, S., see Yoshitake, T. 364
Harrison, L.M.
—, Martin, D., Gotlin, R.W. and Fennessey, P.V.
Effect of extended use of single anabolic steroids on urinary steroid excretion and metabolism 121
Hartmann, F.-X., see Meyer, H.H.D. 173
Hashiguchi, M., see Nakashima, H. 425
Hauffe, S.A., see Flesch, G. 446
Heeft, E. van de, see Van Ginkel, L.A. 111
Hoogenboom, L.A.P.
—, Berghmans, M.C.J. and Traag, W.A.
Biotransformation of β-nortestosterone by cultured porcine hepatocytes 105
Hooijerink, H., see Schilt, R. 127
Hooijschuur, R.C.M., see Van Ginkel, L.A. 95
Hopkins, J.P., see O'Keeffe, M. 199
Hua, M., see Remmel, R.P. 323
Huf, F.A., see Haasnoot, W. 157
Hui, A.C., see Chin, S.K. 438
Ikemoto, S., see Kamesaki, T. 384
Iles, J., see Do, Un Hoi 359
Ishigami, A., see Nakahara, Y. 371
Ishimitsu, S.
—, Fujimoto, S. and Ohara, A.
High-performance liquid chromatographic determination of *m*-tyrosine and *o*-tyrosine in rat urine 377
Jansen, E.H.J.M.
—, Both-Miedema, R. and Van den Berg, R.H.
Application of optimization procedures for the separation of anabolic compounds by high-performance liquid chromatography 57
—, Buskens, C.A.F. and Van den Berg, R.H.
Fast detection of homogeneous chemiluminescent immunoassays with a sensitive photoplate 245
—, Van den Bosch, D., Stephany, R.W., Van Look, L.J. and Van Peteghen, C.
Quantitative analysis of anabolics on thin-layer chromatographic plates using image analysis techniques 205
Janssens, J.J., see Selala, M.I. 51
Jong, A.P.J.M. de, see Van Ginkel, L.A. 111
Kajii, E., see Kamesaki, T. 384
Kamesaki, T.
—, Kajii, E. and Ikemoto, S.
Purification of the decomposing enzyme from *Nepenthes alata* against glycophorin

B of human red blood cells by high-performance liquid chromatography 384
Kežić, S., see Van Doorn, J.E. 419
Kimoto, M., see Usui, Y. 291
Kintz, P.
—, Mangin, P., Lugnier, A.A. and Chaumont, A.J.
Simultaneous determination of fentanyl and its major metabolites and fetanyl analogues using gas chromatography and nitrogen-selective detection 459
Kobayashi, N., see Usui, Y. 291
Korbee, H.J., see Schilt, R. 127
Kostenbauder, H.B., see Guttendorf, R.J. 333
Krakowski, I., see Wasels, R. 411
Kučerová, Z.
Fractionation of human gastric proteinases by immobilized metal chelate (Fe^{3+}) affinity chromatography 390
Kumagai, Y., see Nakashima, H. 425
Langseth-Manrique, K.
Simultaneous determination of glyceryl trinitrate and its metabolites, 1,2- and 1,3-glyceryl dinitrate, in plasma using capillary gas chromatography 462
Look, L.J. Van, see Jansen, E.H.J.M. 205
—, see Van Look, L. 213
—, see Van Peteghem, C. 219
Love, M., see Rosenfeld, J.M. 263
Lugnier, A.A., see Kintz, P. 459
Maghuin-Rogister, G., see Degand, G. 235
Mangin, P., see Kintz, P. 459
Maniscalco, M., see Do, Un Hoi 359
Martin, D., see Harrison, L.M. 121
Massé, R., see Cooper, S.F. 65
—, Ayotte, C. and Dugal, R.
Studies on anabolic steroids. I. Integrated methodological approach to the gas chromatographic–mass spectrometric analysis of anabolic steroid metabolites in urine 23
Maximova, L.A., see Antoshechkin, A.G. 353
Metzler, M.
Metabolism of some anabolic agents: toxicological and analytical aspects 11
Meyer, H.H.D., see Rapp, M. 181
—, Hartmann, F.-X. and Rapp, M.
Distinction between oral and parenteral application of 19-nortestosterone by residue analysis in kidney fat from veal calves using high-performance liquid chromatography and enzyme immunoassay 173
Monster, A.C., see Van Doorn, J.E. 419
Mureika-Russell, M., see Rosenfeld, J.M. 263
Nabet, P., see Wasels, R. 411
Nakahara, Y.
—, Ishigami, A. and Takeda, Y.
Electrochemical label for high-performance liquid chromatography. I. β-Naphthoquinone-4-sulphonate as an electrochemical detection labelling reagent of amines 371
Nakamura, M., see Yoshitake, T. 364
Nakashima, H.
—, Tsutsumi, K., Hashiguchi, M., Kumagai, Y. and Ebihara, A.
Determination of β-methyldigoxin and its metabolites by high-performance liquid chromatography and fluorescence polarization immunoassay 425
Nishimura, N., see Usui, Y. 291
Ohara, A., see Ishimitsu, S. 377
Ohkura, Y., see Yoshitake, T. 364
Okanoue, T., see Usui, Y. 291
O'Keefe, M.
— and Hopkins, J.P.
Application of sorbent extraction chromatography to the purification of diethylstilboestrol extracted from muscle tissue and determined by radioimmunoassy 199
Osman, M.A.
—, Dunning, L.K., Chenge, L.K. and Wright, G.J.
Determination of bromfenac in plasma by high-performance liquid chromatography 452
Ozawa, K., see Usui, Y. 291
Park, J.
—, Shin, Y.O. and Choo, H.-Y.P.
Metabolism and pharmacokinetic studies of propionylpromazine in horses 313
Paysant, P., see Wasels, R. 411
Perez-Gonzalez, N., see Drechou, A. 273
Peteghem, C. Van, see Jansen, E.H.J.M. 205
—, see Van Look, L. 213
—, see Van Peteghem, C. 219
Rapp, M., see Meyer, H.H.D. 173
— and Meyer, H.H.D.
Determination of hormone contaminants in milk replacers by high-performance liquid chromatography and immunoassay 181
Remmel, R.P.
—, Yeom, Y.-H., Hua, M., Vince, R. and Zimmerman, C.L.
Liquid chromatographic assay of carbovir, a carbocyclic nucleoside active against human immunodeficiency virus 323
Ren, T., see Riley, C.M. 432

Riley, C.M.
— and Ren, T.
Simple method for the determination of paeonol in human and rabbit plasma by high-performance liquid chromatography using solid-phase extraction and ultraviolet detection 432
Rosenfeld, J.M.
—, Mureika-Russell, M. and Love, M.
Solid-phase sample preparation method for prostaglandins: integration of procedures for isolation and derivatization for gas chromatographic determination 263
Rossum, H.J. van, see Van Ginkel, L.A. 95, 111
Rouzeau, J.D., see Drechou, A. 273
Ruig, W.G. de, see De Ruig, W.G. 89
Rustum, A.M.
Determination of cadralazine in human whole blood using reversed-phase high-performance liquid chromatography: utilizing a salting-out extraction procedure 345
Schepens, P.J.C., see Selala, M.I. 51
Schilt, R., see Haasnoot, W. 157
—, Weseman, J.M., Hooijerink, H., Korbee, H.J., Traag, W.A., Van Steenbergen, M.J. and Haasnoot, W.
Screening and confirmation of thyreostatics in urine by gas chromatography with nitrogen–phosphorus detection and gas chromatography–mass spectrometry after sample clean-up with a mercurated affinity column 127
Schmitz, P., see Degand, G. 235
Selala, M.I.
—, Janssens, J.J., Coucke, V., Andries, S. and Schepens, P.J.C.
Positive confirmation of identity of doping agents using gas chromatography–mass spectrometry with Fourier transform infrared spectrometry 51
Shin, Y.O., see Park, J. 313
Steenbergen, M.J. van, see Schilt, R. 127
Steinbuch, H.M., see Van Ginkel, L.A. 111
Stephany, R.W.
Molecular spectroscopy in forensic residue analysis: a general overview of reliability, applicability and cost effectiveness 3
—, see De Ruig, W.G. 89
—, see Jansen, E.H.J.M. 205
—, see Van Ginkel, L.A. 95, 111
Suarez, A.F., see Bories, G. 191
Suzuki, Y.
— and Fukuda, K.
Anion-exchange high-performance liquid chromatographic determination of ascorbic acid and hexavalent chromium in rat lung preparations after treatment with sodium chromate in vitro and in vivo 283
Takeda, Y., see Nakahara, Y. 371
Traag, W.A., see Hoogenboom, L.A.P. 105
—, see Schilt, R. 127
Tsutsumi, K., see Nakashima, H. 425
Tutunjian, M., see Do, Un Hoi 359
Usui, Y.
—, Nishimura, N., Kobayashi, N., Okanoue, T., Kimoto, M. and Ozawa, K.
Measurement of vitamin K in human liver by gradient elution high-performance liquid chromatography using platinum-black catalyst reduction and fluorimetric detection 291
Van Blitterswijk, H., see Van Ginkel, L.A. 95
Van de Heeft, E., see Van Ginkel, L.A. 111
Van den Berg, H., see Arts, C.J.M. 225
Van den Berg, R.H., see Jansen, E.H.J.M. 57, 245
Van den Bosch, D., see Jansen, E.H.J.M. 205
Van Doorn, J.E.
—, De Cock, J., Kežić, S. and Monster, A.C.
Determination of methyl ethyl ketone in human urine after derivatization with *o*-nitrophenylhydrazine, using solid-phase extraction and reversed-phase high-performance liquid chromatography and ultraviolet detection 419
Van Ginkel, L.A.
—, Stephany, R.W., Van Rossum, H.J., Steinbuch, H.M., Zomer, G., Van de Heeft, E. and De Jong, A.P.J.M.
Multi-immunoaffinity chromatography: a simple and highly selective clean-up method for multi-anabolic residue analysis of meat 111
—, Stephany, R.W., Van Rossum, H.J., Van Blitterswijk, H., Zoontjes, P.W., Hooijschuur, R.C.M. and Zuydendorp, J.
Effective monitoring of residues of nortestosterone and its major metabolite in bovine urine and bile 95
Van Look, L.J., see Jansen, E.H.J.M. 205
—, see Van Peteghem, C. 219
—, Deschuytere, Ph. and Van Peteghem, C.
Thin-layer chromatographic method for the detection of anabolics in fatty tissues 213
Van Peteghem, C., see Jansen, E.H.J.M. 205
—, see Van Look, L. 213
—, Van Look, L. and De Guesquière, A.
Chemiluminescence immunoassay for the detection and quantification of methyltes-

tosterone residues in muscle tissue 219
Van Rossum, H.L., see Van Ginkel, L.A. 95, 111
Van Steenbergen, M.J., see Schilt, R. 127
Vince, R., see Remmel, R.P. 323
Volpi, F., see De Felip, E. 404
Wasels, R.
—, Belleville, F., Paysant, P., Nabet, P. and Krakowski, I.
Determination of morphine in plasma by gas chromatography using a macrobore column and thermoionic detection after Extrelut column extraction: application to follow-up morphine treatment in cancer patients 411
Wedlund, P.J., see Guttendorf, R.J. 333
Weseman, J.M., see Schilt, R. 127
Winkler, M.A., see Bush, D.A. 303
Wright, G.J., see Osman, M.A. 452
Yamaguchi, M., see Yoshitake, T. 364
Yeom, Y.-H., see Remmel, R.P. 323
Yoshitake, T.
—, Hara, S., Yamaguchi, M., Nakamura, M., Ohkura, Y. and Görög, S.
Measurement of 21-hydroxycorticosteroids in human and rat sera by high-performance liquid chromatography with fluorimetric detection 364
Zimmerman, C.L., see Remmel, R.P. 323
Zomer, G., see Van Ginkel, L.A. 111
Zoontjes, P.W., see Van Ginkel, L.A. 95
Zuydendorp, J., see Van Ginkel, L.A. 95

Subject Index

Acetazolamide
Comprehensive screening procedure for diuretics in urine by HPLC 65

α_1-Acid glycoprotein
One-step purification of rat plasma α_1-acid glycoprotein by antibody affinity chromatography: application to normal and inflamed rat sera 273

Adenosine
Simultaneous quantitive HPLC determination of cyclic adenosine 3′,5′-monophosphate and adenosine in mouse brain after microwave irradiation: application to isoprenaline effect in vivo 394

Adenosine 3′,5′-monophosphate, cyclic
Simultaneous quantitative HPLC determination of cyclic adenosine 3′,5′-monophosphate and adenosine in mouse brain after microwave irradiation: application to isoprenaline effect in vivo 394

β-Adrenoceptor blocking agents
HPLC determination of the enantiomers of β-adrenoceptor blocking agents in biological fluids. II. Studies with atenolol 438

Alkaloids
Method for the identification of tetrahydropapaveroline using the Pictet–Spengler condensation reaction and HPLC 399

Amines
Electrochemical label for HPLC. I. β-Naphthoquinone-4-sulphonate as an electrochemical detection labelling reagent of amines 371

2-Amino-3-(4-bromobenzoyl)benzeneacetic acid
Determination of bromfenac in plasma by HPLC 452

Amniotic fluid metabolites
Screening of amniotic fluid metabolites by GC–MS 353

Anabolic agents
Molecular spectroscopy in forensic residue analysis: a general overview of reliability, applicability and cost effectiveness 3

Anabolic agents
Metabolism of some anabolic agents: toxicological and analytical aspects 11

Anabolic agents
Studies on anabolic steroids. I. Integrated methodological approach to the GC–MS analysis of anabolic steroid metabolites in urine 23

Anabolic agents
Application of optimization procedures for the separation of anabolic compounds by HPLC 57

Anabolic agents
Quality criteria for the detection of analytes in test samples with special reference to anabolic agents and related compounds 89

Anabolic agents
Effective monitoring of residues of nortestosterone and its major metabolite in bovine urine and bile 95

Anabolic agents
Biotransformation of β-nortestosterone by cultured porcine hepatocytes 105

Anabolic agents
Multi-immunoaffinity chromatography: a simple and highly selective clean-up method for multi-anabolic residue analysis of meat 111

Anabolic agents
Effect of extended use of single anabolic steroids on urinary steroid excretion and metabolism 121

Anabolic agents
Determination of β-19-nortestosterone and its metabolite α-19-nortestosterone in biological samples at the sub-ppb level by HPLC with on-line immunoaffinity sample pretreatment 157

Anabolic agents
Distinction between oral and parenteral application of 19-nortestosterone by residue analysis in kidney fat from veal calves using HPLC and enzyme immunoassay 173

Anabolic agents
Determination of hormone contaminants in milk replacers by HPLC and immunoassay 181

Anabolic agents
Profiling of free and conjugated [^{3}H]zeranol metabolites in pig plasma 191

Anabolic agents
Application of sorbent extraction chromatography to the purification of diethylstilboestrol extracted from muscle tissue and determined by radioimmunoassay 199

Anabolic agents
Quantitative analysis of anabolics on TLC

plates using image analysis techniques 205
Anabolic agents
TLC method for the detection of anabolics in fatty tissues 213
Anabolic agents
Chemiluminescence immunoassay for the detection and quantification of methyltestosterone residues in muscle tissue 219
Anabolic agents
Multi-residue screening of bovine urine on xenobiotic oestrogens with an oestrogen radioreceptor assay 225
Anabolic agents
Enzyme immunoassay screening procedure for the synthetic anabolic estrogens and androgens diethylstilbestrol, nortestosterone, methyltestosterone and trenbolone in bovine urine 235
Anabolic agents
Fast detection of homogeneous chemiluminescent immunoassays with a sensitive photoplate 245
Androgens
Enzyme immunoassay screening procedure for the synthetic anabolic estrogens and androgens diethylstilbestrol, nortestosterone, methyltestosterone and trenbolone in bovine urine 235
Antibodies
Isoelectric focusing of cross-linked monoclonal antibody heterodimers, homodimers and derivatized monoclonal antibodies 303
Arachidonic acid
Specific radioactivity determination of labeled eicosanoids 359
Ascorbic acid
Anion-exchange HPLC determination of ascorbic acid and hexavalent chromium in rat lung preparations after treatment with sodium chromate in vitro and in vivo 283
Atenolol
HPLC determination of the enantiomers of β-adrenoceptor blocking agents in biological fluids. II. Studies with atenolol 438
Bendroflumethiazide
Comprehensive screening procedure for diuretics in urine by HPLC 65
Boldenone
Studies on anabolic steroids. I. Integrated methodological approach to the GC–MS analysis of anabolic steroid metabolites in urine 23
Bromfenac
Determination of bromfenac in plasma by HPLC 452
Bumetanide
Comprehensive screening procedure for diuretics in urine by HPLC 65
2-Butanone
Determination of methyl ethyl ketone in human urine after derivatization with *o*-nitrophenylhydrazine, using solid-phase extraction and reversed-phase HPLC and ultraviolet detection 419
Cadralazine
Determination of cadralazine in human whole blood using reversed-phase HPLC: utilizing a salting-out extraction procedure 345
Carbovir
LC assay of carbovir, a carbocyclic nucleoside active against human immunodeficiency virus 323
Chemiluminescence immunoassays
Fast detection of homogeneous chemiluminescent immunoassays with a sensitive photoplate 245
Chlorthalidone
Comprehensive screening procedure for diuretics in urine by HPLC 65
Chromium(VI)
Anion-exchange HPLC determination of ascorbic acid and hexavalent chromium in rat lung preparations after treatment with sodium chromate in vitro and vivo 283
Corticosteroids
Measurement of 21-hydroxycorticosteroids in human and rat sera by HPLC with fluorimetric detection 364
Cyclic adenosine 3′,5′-monophosphate
Simultaneous quantitative HPLC determination of cyclic adenosine 3′,5′-monophosphate and adenosine in mouse brain after microwave irradiation: application to isoprenaline effect in vivo 394
Detection, quality criteria
Quality criteria for the detection of analytes in test samples with special reference to anabolic agents and related compounds 89
Diethylstilbestrol
Metabolism of some anabolic agents: toxicological and analytical aspects 11
Diethylstilbestrol
Application of sorbent extraction chromatography to the purification of diethylstil-

boestrol extracted from muscle tissue and determined by radioimmunoassay 199
Diethylstilbestrol
Enzyme immunoassay screening procedure for the synthetic anabolic estrogens and androgens diethylstilbestrol, nortestosterone, methyltestosterone and trenbolone in bovine urine 235
Digoxigenin
Determination of β-methyldigoxin and its metabolites by HPLC and fluorescence polarization immunoassay 425
Digoxigenin bisdigitoxoside
Determination of β-methyldigoxin and its metabolites by HPLC and fluorescence polarization immunoassay 425
Digoxigenin monodigitoxoside
Determination of β-methyldigoxin and its metabolites by HPLC and fluorescence polarization immunoassay 425
Digoxin
Determination of β-methyldigoxin and its metabolites by HPLC and fluorescence polarization immunoassay 425
Diuretics
Comprehensive screening procedure for diuretics in urine by HPLC 65
Doping agents
Positive confirmation of identity of doping agents using GC–MS with Fourier transform infrared spectrometry 51
Doping agents
Comprehensive screening procedure for diuretics in urine by HPLC 65
Doping agents
Screening and confirmation of thyreostatics in urine by GC with nitrogen–phosphorus detection and GC–MS after sample clean-up with a mercurated affinity column 127
Doping agents
On-line HPLC diode array spectrophotometric analysis of steroidal hormones in illegal preparations 139
Doping agents, see also Anabolic agents
Eicosanoids
Specific radioactivity determination of labeled eicosanoids 359
Enzymes
Purification of the decomposing enzyme from *Nepenthes alata* against glycophorin B of human red blood cells by HPLC 384
Enzymes
Fractionation of human gastric proteinases by immobilized metal chelate (Fe^{3+}) affinity chromatography 390
Ephedrine
Positive confirmation of identity of doping agents using GC–MS with Fourier transform infrared spectrometry 51
Estrogens
Multi-residue screening of bovine urine on xenobiotic oestrogens with an oestrogen radioreceptor assay 225
Estrogens
Enzyme immunoassay screening procedure for the synthetic anabolic estrogens and androgens diethylstilbestrol, nortestosterone, methyltestosterone and trenbolone in bovine urine 235
Ethynylestradiol
Quantitative analysis of anabolics on TLC plates using image analysis techniques 205
Fatty tissues
TLC method for the detection of anabolics in fatty tissues 213
Fentanyl
Simultaneous determination of fentanyl and its major metabolites and fentanyl analogues using GC and nitrogen-selective detection 459
Forensic residue analysis
Molecular spectroscopy in forensic residue analysis: a general overview of reliability, applicability and cost effectiveness 3
Furosemide
Comprehensive screening procedure for diuretics in urine by HPLC 65
Glyceryl dinitrates
Simultaneous determination of glyceryl trinitrate and its metabolites, 1,2- and 1,3-glyceryl dinitrate, in plasma using capillary GC 462
Glyceryl trinitrate
Simultaneous determination of glyceryl trinitrate and its metabolites, 1,2- and 1,3-glyceryl dinitrate, in plasma using capillary GC 462
Glycophorin B
Purification of the decomposing enzyme of *Nepenthes alata* against glycophorin B of human red blood cells by HPLC 384
Hydrochlorothiazide
Comprehensive screening procedure for diuretics in urine by HPLC 65
21-Hydroxycorticosteroids
Measurement of 21-hydroxycorticosteroids in human and rat sera by HPLC with fluo-

rimetric detection 364
2-Hydroxy-4-methoxyacetophenone
Simple method for the determination of paeonol in human and rabbit plasma by HPLC using solid-phase extraction and ultraviolet detection 432
6-Ketoprostaglandin $F_{1\alpha}$
Specific radioactivity determination of labeled eicosanoids 359
Kidney fat
Distinction between oral and parenteral application of 19-nortestosterone by residue analysis in kidney fat from veal calves using HPLC and enzyme immunoassay 173
Meat
Multi-immunoaffinity chromatography: a simple and highly selective clean-up method for multi-anabolic residue analysis of meat 111
Menaquinone
Measurement of vitamin K in human liver by gradient elution HPLC using platinum-black catalyst reduction and fluorimetric detection 291
Methandrostenolone
Effect of extended use of single anabolic steroids on urinary steroid excretion and metabolism 121
Methanedienone
Studies on anabolic steroids. I. Integrated methodological approach to the GC–MS analysis of anabolic steroid metabolites in urine 23
2-Methyl-4-chlorophenoxyacetic acid
GC–MS method to assess residues of 2-methyl-4-chlorophenoxyacetic acid in human urine 404
β-Methyldigoxin
Determination of β-methyldigoxin and its metabolites by HPLC and fluorescence polarization immunoassay 425
Methyl ethyl ketone
Determination of methyl ethyl ketone in human urine after derivatization with *o*-nitrophenylhydrazine, using solid-phase extraction and reversed-phase HPLC and ultraviolet detection 419
Methyltestosterone
Multi-immunoaffinity chromatography: a simple and highly selective clean-up method for multi-anabolic residue analysis of meat 111
Methyltestosterone
Chemiluminescence immunoassay for the detection and quantification of methyltestosterone residues in muscle tissue 219
Methyltestosterone
Enzyme immunoassay screening procedure for the synthetic anabolic estrogens and androgens diethylstilbestrol, nortestosterone, methyltestosterone and trenbolone in bovine urine 235
Methylthiouracil
Screening and confirmation of thyreostatics in urine by GC with nitrogen–phosphorus detection and GC–MS after sample clean-up with a mercurated affinity column 127
Milk replacers
Determination of hormone contaminants in milk replacers by HPLC and immunoassay 181
Molecular spectroscopy
Molecular spectroscopy in forensic residue analysis: a general overview of reliability, applicability and cost effectiveness 3
Monoclonal antibodies
Isoelectric focusing of cross-linked monoclonal antibody heterodimers, homodimers and derivatized monoclonal antibodies 303
Morphine
Determination of morphine in plasma by GC using a macrobore column and thermoionic detection after Extrelut column extraction: application to follow-up morphine treatment in cancer patients 411
Multi-anabolic residue analysis
Multi-immunoaffinity chromatography: a simple and highly selective clean-up method for multi-anabolic residue analysis of meat 111
Nandrolone
Effect of extended use of single anabolic steroids on urinary steroid excretion and metabolism 121
β-Naphthoquinone-4-sulphonate
Electrochemical label for HPLC. I. β-Naphthoquinone-4-sulphonate as an electrochemical detection labelling reagent of amines 371
Nepenthes alata
Purification of the decomposing enzyme from *Nepenthes alata* against glycophorin B of human red blood cells by HPLC 384
Norandrostenedione
Biotransformation of β-nortestosterone by cultured porcine hepatocytes 105

19-Norandrostenedione
Distinction between oral and parenteral application of 19-nortestosterone by residue analysis in kidney fat from veal calves using HPLC and enzyme immunoassay 173
Norethisterone
Studies on anabolic steroids. I. Integrated methodological approach to the GC–MS analysis of anabolic steroid metabolites in urine 23
Nortestosterone
Multi-immunoaffinity chromatography: a simple and highly selective clean-up method for multi-anabolic residue analysis of meat 111
Nortestosterone
Enzyme immunoassay screening procedure for the synthetic anabolic estrogens and androgens diethylstilbestrol, nortestosterone, methyltestosterone and trenbolone in bovine urine 235
19-Nortestosterone
Studies on anabolic steroids. I. Integrated methodological approach to the GC–MS analysis of anabolic steroid metabolites in urine 23
19-Nortestosterone
Distinction between oral and parenteral application of 19-nortestosterone by residue analysis in kidney fat from veal calves using HPLC and enzyme immunoassay 173
19-Nortestosterone
Determination of hormone contaminants in milk replacers by HPLC immunoassay 181
19-Nortestosterone
Quantitative analysis of anabolics on TLC plates using image analysis techniques 205
19α-Nortestosterone
Effective monitoring of residues of nortestosterone and its major metabolite in bovine urine and bile 95
19β-Nortestosterone
Effective monitoring of residues of nortestosterone and its major metabolite in bovine urine and bile 95
α-19-Nortestosterone
Determination of β-19-nortestosterone and its metabolite α-19-nortestosterone in biological samples at the sub-ppb level by HPLC with on-line immunoaffinity sample pretreatment 157
β-Nortestosterone
Biotransformation of β-nortestosterone by cultured porcine hepatocytes 105
β-19-Nortestosterone
Determination of β-19-nortestosterone and its metabolite α-19-nortestosterone in biological samples at the sub-ppb level by HPLC with on-line immunoaffinity sample pretreatment 157
Nucleosides
LC assay of carbovir, a carbocyclic nucleoside active against human immunodeficiency virus 323
Oestrogens, see Estrogens
Oxandrolone
Effect of extended use of single anabolic steroids on urinary steroid excretion and metabolism 121
Oxymetholone
Effect of extended use of single anabolic steroids on urinary steroid excretion and metabolism 121
Paeonol
Simple method for the determination of paeonol in human and rabbit plasma by HPLC using solid-phase extraction and ultraviolet detection 432
Pamidronate disodium
Determination of the bisphosphonate pamidronate disodium in urine by pre-column derivatization with fluorescamine, HPLC and fluorescence detection 446
Pepsins
Fractionation of human gastric proteinases by immobilized metal chelate (Fe^{3+}) affinity chromatography 390
Phentermine
Positive confirmation of identity of doping agents using GC–MS with Fourier transform infrared spectrometry 51
Phylloquinone
Measurement of vitamin K in human liver by gradient elution HPLC using platinum-black catalyst reduction and fluorimetric detection 291
Pictet–Spengler condensation
Method for the identification of tetrahydropapaveroline using the Pictet–Spengler condensation reaction and HPLC 399
Probenecid
Comprehensive screening procedure for diuretics in urine by HPLC 65
Propionylpromazine
Metabolism and pharmacokinetic studies of propionylpromazine in horses 313
Propranolol enantiomers
Quantification of propranolol enantiomers in small blood samples from rats by re-

versed-phase HPLC after chiral derivatization 333
Propylhexedrine
Positive confirmation of identity of doping agents using GC–MS with Fourier transform infrared spectrometry 51
Propylthiouracil
Screening and confirmation of thyreostatics in urine by GC with nitrogen–phosphorus detection and GC–MS after sample clean-up with a mercurated affinity column 127
Prostaglandins
Solid-phase sample preparation method for prostaglandins: integration of procedures for isolation and derivatization for GC determination 263
Prostaglandins
Specific radioactivity determination of labeled eicosanoids 359
Proteinases
Fractionation of human gastric proteinases by immobilized metal chelate (Fe^{3+}) affinity chromatography 390
Quinethazone
Comprehensive screening procedure for diuretics in urine by HPLC 65
Solid-phase sample preparation
Solid-phase sample preparation method for prostaglandins: integration of procedures for isolation and derivatization for GC determination 263
Spironolactone
Comprehensive screening procedure for diuretics in urine by HPLC 65
Stanozolol
Studies on anabolic steroids. I. Integrated methodological approach to the GC–MS analysis of anabolic steroid metabolites in urine 23
Steroidal hormones
On-line HPLC diode array spectrophotometric analysis of steroidal hormones in illegal preparations 139
Steroidal hormones
Determination of hormone contaminants in milk replacers by HPLC and immunoassay 181
Steroids
Measurement of 21-hydroxycorticosteroids in human and rat sera by HPLC with fluorimetric detection 364
Steroids, anabolic, see Anabolic agents
Stilbenes
Application of optimization procedures for the separation of anabolic compounds by HPLC 57
Stilbenes
Multi-residue screening of bovine urine on xenobiotic oestrogens with an oestrogen radioreceptor assay 225
Synchronized accumulating radioisotope detector
Improved synchronized accumulating radioisotope detector for GC 255
17β-Testosterone
Fast detection of homogeneous chemiluminescent immunoassays with a sensitive photoplate 245
Tetrahydropapaveroline
Method for the identification of tetrahydropapaveroline using the Pictet–Spengler condensation reaction and HPLC 399
Thiouracil
Screening and confirmation of thyreostatics in urine by GC with nitrogen–phosphorus detection and GC–MS after sample clean-up with a mercurated affinity column 127
Thromboxane B_2
Specific radioactivity determination of labeled eicosanoids 359
Thyreostatics
Screening and confirmation of thyreostatics in urine by GC with nitrogen–phosphorus detection and GC–MS after sample clean-up with a mercurated affinity column 127
Trenbolone
Enzyme immunoassay screening procedure for the synthetic anabolic estrogens and androgens diethylstilbestrol, nortestosterone, methyltestosterone and trenbolone in bovine urine 235
17β-Trenbolone
Metabolism of some anabolic agents: toxicological and analytical aspects 11
Triamterene
Comprehensive screening procedure for diuretics in urine by HPLC 65
Tyrosines
HPLC determination of *m*-tyrosine and *o*-tyrosine in rat urine 377
Vitamin C
Anion-exchange HPLC determination of ascorbic acid and hexavalent chromium in

rat lung preparations after treatment with sodium chromate in vitro and in vivo 283
Vitamin K
Measurement of vitamin K in human liver by gradient elution HPLC using platinum-black catalyst reduction and fluorimetric detection 291
Zeranol
Metabolism of some anabolic agents: toxicological and analytical aspects 11
Zeranol
Application of optimization procedures for the separation of anabolic compounds by HPLC 57
Zeranol
Multi-residue screening of bovine urine on xenobiotic oestrogens with an oestrogen radioreceptor assay 225
Zeranol metabolites
Profiling of free and conjugated [^{3}H]zeranol metabolites in pig plasma 191